

Cygnet Bumper Bouclé CY1008 Ladies' Bouclé Jacket

Measurements					
To fit bust	(in)	32	34	36	38
	(cm)	81	86	91	97
Sleeve length to underarm	(in)	16	17	18	18
(long)	(cm)	41	43	46	46
Materials  Bumper Bouclé Willow	100g	9	9	9	9
3301	1008			J	

**Needles Notions Tension** 

8 stitches over 14 rows working 1 pair 7mm straight needles 5 buttons in stocking stitch.

IT IS ESSENTIAL TO WORK TO THE STATED TENSION TO ENSURE THE CORRECT SIZING. If you tension square has less stitches, use a thinner needle, if more, use a thicker needle.

#### **Abbreviations**

k knit inc increase alt alternative patt pattern р purl k2tog knit two together yo yarn over dec decrease right side stitches ins/cm inches/centimetres rs stst stocking stitch

wrong side yfwd yarn forward SI w/s slip

C6b sl 3 sts onto cable needle and hold to back of

work, k3, k sts from cable needle.

## **BACK**

With 7mm needles cast on 40[44:48:52]sts.

Next row: \*k1, p1; rep from \* to end.

Repeat last row 7 more times.

Starting with a purl row, work in reverse stst until back measures 27[27:28:28]ins (69[69:71:71]cm) or desired length.

## **Shape Shoulders**

Cast off 14[14:16:16]sts at beg of next 2 rows.

Cast off remaining sts.

## **POCKET LININGS (make 2)**

With 7mm needles cast on 12 sts.

Work 14 rows in stst.

Leave sts on a stitch holder.

#### **LEFT FRONT**

With 7mm needles cast on 28[29:30:31]sts and work 4 rows in 1x1 rib.

Buttonhole row: k1, p1, yfwd, k2tog, end rib to buttonhole on this and every following 12<sup>th</sup> row).

Work a further 3 rows in 1x1 rib.

#### Pattern:

Row 1: rib 5, p2, k1, p2, k6, p2, k1, p to end

Next and every alt rows: k9 [10:11:12], p1, k2, p6, k2, p1, k2, rib to end

**Row 3:** As row 1

Row 5: Rib 5, p2, k1, p2, c6b, p2,

k1, p to end **Row 7:** As row 1

Row 8: As row 2

Continue to work in pattern for a further 6 row.

#### Place pockets

Next row: Rib 5, p2, rib 12, turn.

Working on these 12 sts only rib a further 3 rows. Cast off in rib. Rejoin yarn to remaining sts and p to end.

**Next row:** k9[10:11:12], (work across pocket lining sts as follows: p1, k2, p6, k2, p1), k2, rib to end.

Continue working in pattern until front measures 19[19:20:20]ins (48[48:51:51]cm) or length required from underarm.

#### **Shape Front**

Decrease row: Rib 5, p2, k1, p2, k6, p2, k1, p2 tog, p to end

Next row: k8[9:10:11], p1, k2, p6, k2, p1, k2, rib to end

Continue to dec in this way on every 4<sup>th</sup> row to 24[25:26:27]sts, then on every alt row to 19sts.

Work 1 more row.

Cast off 14sts, rib to end.
Continue on these 5sts only work in rib until band is long enough to reach centre of back. Cast off in rib.

## RIGHT FRONT

With 7mm needles cast on 28[29:30:31]sts and starting with a purl st work 8 rows in 1 x 1 rib

#### Pattern:

**Row 1**: p9[10:11:12], k1, p2, k6, p2, k1, p2, rib to end

**Next and every alt row**: Rib 5, k2, p1, k2, p6, k2, p1, k to end

**Row 3:** As row 1

**Row 5**: p9 [10, 11, 12], k1, p2, c6b, p2, k1, p2, rib to end

**Row 7:** As row 1 **Row 8:** As row 2

Continue to work in pattern for a further 7 rows.

## **Place pockets**

**Next row:** Rib 5, p2, rib 12, turn Working on these 12 sts only rib a further 3 rows. Cast off in rib Rejoin yarn to remaining sts and k to end

**Next row:** p9 (work across pocket lining sts as follows: k1, p2, k6, p2, k1), p2, rib to end

Continue working in pattern until front measures 19[19:20:20]ins (48[48:51:51]cm) or length required from underarm ending with a ws row.

# Shape front

**Decrease row:** p7, p2 tog, patt to end

Continue shaping in this way and complete as for Left front.

## SLEEVES (make 2)

With 7mm needles Cast on 18[18:20:20]sts and work 8 rows 1 x 1 rib.

Starting with a purl row work in reverse stst, inc 1st at each end of every 4<sup>th</sup> row to 38[38:40:40]sts.

Continue to work without shaping until sleeve measures 16[17:18:18]ins (41[43:46:46]cm) or length required Cast off.

#### To make up

Join back and front shoulder seams. Place centre of sleeve top to shoulder seam and pin in place. Sew sleeves in position. Sew up sides. Sew pocket tops and linings in place. Add buttons.



12-14 Adelaide Street, Bradford, West Yorkshire, BD5 0EA